



ΕΚΘΕΣΗ ΔΟΚΙΜΩΝ

Πελάτης	ΔΕΥΑΜΒ
Διεύθυνση πελάτη	ΚΩΝΣΤΑΝΤΑ 141
Περιγραφή Δείγματος	ΠΟΣΙΜΟ ΝΕΡΟ
Δειγματοληψία	Από πελάτη κατά δήλωσή του: ΠΕΛΑΤΗΣ
Ημερομηνία παραλαβής δείγματος	03/09/2024
Ημερομηνία Εισαγωγής	03/09/2024
Κωδικός δείγματος	En-2024-10279
Είδος ανάλυσης	Έλεγχος Επιμολυντών Νερού

Τα αποτελέσματα αυτής της έκθεσης ισχύουν για τα δείγματα που αναλύθηκαν.

Η παρούσα έκθεση δοκιμών επιτρέπεται να αναπαραχθεί αποκλειστικά και μόνο σε πλήρη μορφή.

Απαγορεύεται οποιαδήποτε μερική ή αποσπασματική αναπαραγωγή της ή/και τροποποίηση αυτής.

Για οποιαδήποτε πληροφορία ή διευκρίνιση παρακαλούμε απευθυνθείτε στο Τμ. Πωλήσεων.

Αποτελέσματα Αναλύσεων

Κωδικός δείγματος **En-2024-10279**
Περίοδος Ανάλυσης **05/09/2024 - 17/09/2024**
Χαρακτηρισμός Πελάτη **20464**
Κατάσταση δείγματος κατά την παραλαβή **Κανονική**

Παράμετρος	Μονάδες	Τιμή	Όριο αναφοράς	Ανώτ. νομοθ. όριο
Πτητικές Οργανικές Ενώσεις (VOCs)				
Trichloroethene	μg/l	0,54	0,50	
Sum of Trichloroethene & Tetrachloroethene	μg/l	0,54	1,0	10
Τριαλογομεθάνια (Trihalomethanes)				
Τριβρωμομεθάνιο (Βρωμοφόρμιο)	μg/l	10,0	1,0	-
Άθροισμα Τριαλογομομεθανίων (Sum of Trihalomethanes)	μg/l	10,0		100

Οι αναλύσεις πραγματοποιήθηκαν από την VELTIA S.A.

Οι υπόλοιπες ουσίες που αναλύθηκαν δεν ποσοτικοποιήθηκαν στο όριο αναφοράς της μεθόδου.

* Τα ανώτατα νομοθετικά όρια περιγράφονται και επεξηγούνται ως προς την ορθή τους χρήση στην ΚΥΑ 37507 (ΦΕΚ3225/Β/25-5-2023) και των νεότερων τροποποιήσεων της.

Τα παραπάνω νομοθετικά όρια ισχύουν μέχρι την ημέρα έκδοσης της έκθεσης δοκιμών

Ο χρόνος τήρησης του αντιδείγματος ορίζεται στον 1 μήνα από την ημερομηνία έκδοσης του παρόντος πιστοποιητικού (στις κατάλληλες συνθήκες

διατήρησης), εκτός και αν ο πελάτης εγγράφως έχει ορίσει διαφορετικά. Εξαιρούνται ευαλλοίωτα δείγματα, τα οποία δεν μπορούν να συντηρηθούν για το προαναφερθέν χρονικό διάστημα.

Αλ. Γούναρης/ Χημικός Μηχανικός

Διευθυντής Εργαστηρίου

Contaminants in water**1) Halogenated Volatile Organic Compounds (VOCs)**

· Μέθοδος ανάλυσης / Method of analysis: In house method (O.B.15.002) with GC-MS / HS-SPME modified based on ISO/DIS 17943 Determination of volatile organic compounds in water – Method using headspace solid-phase micro-extraction (HS-SPME) followed by gas chromatography-mass spectrometry (GC-MS)

· Οι παρακάτω ουσίες αναλύθηκαν με τις προαναφερόμενες μεθόδους / The following substances were analyzed with the above-mentioned methods

BTEX: Benzene, Toluene, m-Xylene, p-Xylene, o-Xylene, Ethylbenzene

· Τα Όρια Αναφοράς της μεθόδου είναι 0,25 µg/L /The Reporting Limit of the method is 0.25 µg/L

TRIHALOMETHANES: Tribromomethane (Bromoform), Trichloromethane (Chloroform), Bromodichloromethane, Dibromochloromethane

· Τα Όρια Αναφοράς της μεθόδου είναι 1,00 µg/L /The Reporting Limit of the method is 1,00 µg/L

Other VOCs: Vinyl Chloride (0,25), 1,2-Dichloroethane (0,25), Trichloroethene (0,50), Tetrachloroethene (0,50), Geosmin (0,25), 2-methylisoborneol (0,25)

· Τα Όρια Αναφοράς της μεθόδου είναι ως άνωθεν σε µg/L /The Reporting Limit of the method is as above in µg/L

2) Acrylamide

· Μέθοδος ανάλυσης / Method of analysis : O.B.15.003 Determination of low-level Acrylamide in drinking water by liquid chromatography / tandem mass spectrometry LC-MSMS, AOAC, Vol. 92, No. 1, p. 263-270, 2009

· Τα Όρια Αναφοράς της μεθόδου είναι 0,10 µg/L /The Reporting Limit of the method is 0.10 µg/L

· Οι παρακάτω ουσίες αναλύθηκαν με τις προαναφερόμενες μεθόδους / The following substances were analyzed with the above-mentioned methods

Acrylamide

3) Epichlorohydrin

· Μέθοδος ανάλυσης / Method of analysis : In house method O.B.15.002 with GC-MS HS-SPME modified based on ELOT-EN-14207 Determination of Epichlorohydrin

· Τα Όρια Αναφοράς της μεθόδου είναι 0,10 µg/L /The Reporting Limit of the method is 0.10 µg/L

· Οι παρακάτω ουσίες αναλύθηκαν με τις προαναφερόμενες μεθόδους / The following substances were analyzed with the above-mentioned methods

Epichlorohydrine

4) Polycyclic Aromatic Hydrocarbons (PAHs) in water (16 substances)

· Μέθοδος ανάλυσης / Method of analysis: O.B.15.001 Mod. Based on: i) ISO 28540, Determination of 16 polycyclic aromatic hydrocarbons (PAH) in water- Method using gas chromatography with mass spectrometric detection GC-MSMS, ii) ELOT EN ISO 6468, Determination of certain organochlorine insecticides, polychlorinated biphenyls and chlorobenzenes - Gas chromatography method after liquid-liquid extraction

· Τα Όρια Αναφοράς της μεθόδου είναι μεταξύ 0,0025 και 0,02 µg/L /The Reporting Limit of the method is between 0.0025 and 0,02 µg/L

· Οι παρακάτω ουσίες αναλύθηκαν με τις προαναφερόμενες μεθόδους / The following substances were analyzed with the above-mentioned methods

Acenaphthene, Acenaphthylene, Anthracene, Benzo (a) pyrene (0,0025), Benzo (a) anthracene, Chrysene, Dibenzo (a,h) anthracene, Fluoranthene, Fluorene, Naphthalene, Phenanthrene, Pyrene, Benzo (b) fluoranthene, Benzo (k) fluoranthene, Indeno (1,2,3-cd) pyrene, Benzo (g,h,i) perylene

5) Water Package GC-MS-MS Pesticides Residues (48 active ingredients)

· Μέθοδος ανάλυσης / Method of analysis : O.B. 15.001 Modified based on 1)ELOT EN ISO 6468 , Determination of certain organochlorine insecticides, polychlorinated biphenyls and chlorobenzenes - Gas chromatography method after liquid-liquid extraction. 2) ISO 28540 , Determination of 16 polycyclic aromatic hydrocarbons (PAH) in water- Method using gas chromatography with mass spectrometric detection.

· Τα Όρια Αναφοράς της μεθόδου είναι στο 0.02 µg/L (ppb) εξαιρουμένων αυτών σε παρενθέσεις /The Reporting Limit of the method is at 0.02 µg/L (ppb) except those in brackets

· Οι παρακάτω δραστικές αναλύθηκαν με τις προαναφερόμενες μεθόδους / The following active ingredients were analyzed with the above-mentioned methods

2,4'-DDD, 2,4'-DDE, 2,4'-DDT, 4,4'-DDD, 4,4'-DDE, 4,4'-DDT, Acrinathrin, Alachlor, Aldrin (**0.0075µg/l**), alpha-Endosulfan, alpha-HCH, Benfluralin, beta-Endosulfan, beta-HCH, Bifenthrin, Chlordane Cis, Chlordane Trans, Cyfluthrin, Cypermethrin, delta-HCH, Deltamethrin, Dieldrin (**0.0075µg/l**), Endosulfan-sulfate, Endrin aldehyde, Endrin, es-Fenvalerate, Ethoprophos, Fenitrothion, Fenpropathrin, Fenvalerate, Flucythrinate, Heptachlor (**0.0075µg/l**), Heptachlor-endo-epoxide (**0.0075µg/l**), Heptachlor-exo-epoxide (**0.0075µg/l**), Heptenophos, Hexachlorobenzene, Isodrin, Lambda-Cyhalothrin, Lindane, Methoxychlor, Metolachlor, Parathion Ethyl, Parathion Methyl, Permethrin Sum, Tau-Fluvalinate, Tetradifon, Trifluralin.